

PLASTIC BARBED FITTINGS

Plastic Barbed Fittings, Reinvented for Real-World Demands Tough enough for repeated use, flexible for easy installation—Pneuline’s fittings help your systems work smarter, longer.



PLASTIC MULTI-BARB

Plastic Multi-Barb fittings are primarily produced with materials that are NSF-51 and NSF-61, FDA, and USP Class VI approved, and RoHS compliant. Standard materials are Natural nylon, -40° to 200° F. Black Polypropylene and Black Polyethylene are UV resistant and can used with numerous chemicals. Temperature ranges of these materials are -65° to 190° F. Some products available by special order are Bovine free natural polypropylene or PVDF. Maximum working pressure 125 PSI. Hose clamps are recommended, low pressures, such as drain lines, etc. may not require clamps.



CR SERIES

The CR Series Plastic Multi-Barbed Fittings are reducing connectors with a standard Triple-Barb hose. Molded of either NSF Listed Natural Nylon, NSF Listed Black Polyethylene, FDA Listed Natural Polypropylene, FDA Listed Black Polypropylene, or Black Nylon. Sizes range from 1/8 inch to 1-1/2 inch.

SKU	Description
CR-4B2B	1/4 Multi Barb by 1/8 Multi Barb Reducer
CR-4B3B	1/4 Multi Barb by 3/16 Multi Barb Reducer
CR-4B532	1/4 Multi Barb by 5/32 Multi Barb Reducer
CR-5B2B	5/16 Multi Barb by 1/8 Multi Barb Reducer
CR-5B3B	5/16 Multi Barb by 3/16 Multi Barb Reducer
CR-6B4B	3/8 Multi Barb by 1/4 Multi Barb Reducer
CR-6B5B	3/8 Multi Barb by 5/16 Multi Barb Reducer
CR-6B8B	3/8 Multi Barb by 1/2 Multi Barb Reducer
CR-8B4B	1/2 Multi Barb by 1/4 Multi Barb Reducer
CR-8B6B	1/2 Multi Barb by 3/8 Multi Barb Reducer
CR-10B6B	5/8 Multi Barb by 3/8 Multi Barb Reducer
CR-10B8B	5/8 Multi Barb by 1/2 Multi Barb Reducer
CR-12B8B	3/4 Multi BarbX 1/2 Multi Barb Reducer

GHE SERIES



Upgrade your hose connections with the **GHE Series Male Garden Hose Elbow**, built for **long-lasting durability** and a **leak-free seal**. Constructed from **high-quality Nylon or Black Polypropylene**, this elbow fitting offers **exceptional resistance to wear, weather, and chemicals**. Available in **1/4", 3/8", 1/2", 5/8", and 3/4" barb sizes**, it ensures **a secure grip and smooth fluid flow**, making it the **ideal solution for irrigation, plumbing, and industrial applications**.

SKU	Description
GHE-6B	Garden Hose Elbow by 3/8 inch Nylon Barb
GHE-8B	Garden Hose Elbow by 1/2 inch Nylon Barb
GHE-10B	Garden Hose Elbow by 5/8 inch Nylon Barb
GHE-12B	Garden Hose Elbow by 3/4 inch Nylon Barb
GHE-16B	GHE by 1 inch Nylon Barb

YSP SERIES



YSP Series is a low-pressure wye connector made of FDA-listed Natural Polypropylene. This wye connector comes in six equal barb sizes: 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, and 1/2 inch. The maximum pressure is 20 psi and the maximum working temperature is 198˚F. This wye is autoclavable.

SKU	Description
YSP-2B-FDA	1/8 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-3B-FDA	3/16 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-4B-FDA	1/4 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-5B-FDA	5/16 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-6B-FDA	3/8 inch FDA Polypropylene Multi-Barbed Wye Connector
YSP-8B-FDA	1/2 inch FDA Polypropylene Multi-Barbed Wye Connector



YCP SERIES

YCP Series is a low-pressure multi-barbed Wye connector made of Natural Polypropylene. This connector is for metric tubing and comes in seven sizes: 4 mm, 6 mm, 8 mm, 10 mm, 12 mm, 14 mm, and 16 mm.

SKU	Description
YCP-4M-NPP	4 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-6M-NPP	6 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-8M-NPP	8 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-10M-NPP	10 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-12M-NPP	12 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-14M-NPP	14 mm Natural Polypropylene Multi-Barbed Wye Connector
YCP-16M-NPP	16 mm Natural Polypropylene Multi-Barbed Wye Connector



L SERIES

The L Series are standard triple-barbed elbow connectors and are offered in both equal and reducing sizes. These elbow connectors are molded of Natural Nylon or Polyethylene. Optional materials include: Natural and Black Polypropylene. Equal sizes are 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, 1 inch, 1-1/4 inch, and 1-1/2 inch. Reducing sizes are 1/2 inch by 1/4 inch and 1/2 inch by 3/8 inch. Barbed fittings over 1 inch are not offered in Polyethylene.

SKU	Description
L-4B-NN	1/4 inch Natural Nylon Barbed Elbow Connector
L-4B-NPP	1/4 inch Natural Polypropylene Barbed Elbow Connector
L-4B-BKPP	1/4 inch Black Polypropylene Barbed Elbow Connector
L-4B-PE	1/4 inch Polyethylene Barbed Elbow Connector
L-5B-NN	5/16 inch Natural Nylon Barbed Elbow Connector
L-5B-NPP	5/16 inch Natural Polypropylene Barbed Elbow Connector
L-5B-BKPP	5/16 inch Black Polypropylene Barbed Elbow Connector
L-5B-PE	5/16 inch Polyethylene Barbed Elbow Connector
L-6B-NN	3/8 inch Natural Nylon Barbed Elbow Connector

SKU	Description
L-6B-NPP	3/8 inch Natural Polypropylene Barbed Elbow Connector
L-6B-BKPP	3/8 inch Black Polypropylene Barbed Elbow Connector
L-6B-PE	3/8 inch Polyethylene Barbed Elbow Connector
L-8B-NN	1/2 inch Natural Nylon Barbed Elbow Connector
L-8B-NPP	1/2 inch Natural Polypropylene Barbed Elbow Connector
L-8B-BKPP	1/2 inch Black Polypropylene Barbed Elbow Connector
L-8B-PE	1/2 inch Polyethylene Barbed Elbow Connector
L-10B-NN	5/8 inch Natural Nylon Barbed Elbow Connector
L-10B-NPP	5/8 inch Natural Polypropylene Barbed Elbow Connector
L-10B-BKPP	5/8 inch Black Polypropylene Barbed Elbow Connector
L-10B-PE	5/8 inch Polyethylene Barbed Elbow Connector
L-12B-NN	3/4 inch Natural Nylon Barbed Elbow Connector
L-12B-NPP	3/4 inch Natural Polypropylene Barbed Elbow Connector
L-12B-BKPP	3/4 inch Black Polypropylene Barbed Elbow Connector
L-12B-PE	3/4 inch Polyethylene Barbed Elbow Connector
L-16B-NN	1 inch Natural Nylon Barbed Elbow Connector
L-16B-NPP	1 inch Natural Polypropylene Barbed Elbow Connector
L-16B-BKPP	1 inch Black Polypropylene Barbed Elbow Connector
L-16B-PE	1 inch Polyethylene Barbed Elbow Connector
L-20B-NN	1-1/4 inch Natural Nylon Barbed Elbow Connector
L-20B-NPP	1-1/4 inch Natural Polypropylene Barbed Elbow Connector
L-20B-BKPP	1-1/4 inch Black Polypropylene Barbed Elbow Connector
L-20B-PE	1-1/4 inch Polyethylene Barbed Elbow Connector
L-24B-NN	1-1/2 inch Natural Nylon Barbed Elbow Connector
L-24B-NPP	1-1/2 inch Natural Polypropylene Barbed Elbow Connector
L-24B-BKPP	1-1/2 inch Black Polypropylene Barbed Elbow Connector
L-24B-PE	1-1/2 inch Polyethylene Barbed Elbow Connector
L-8B4B-NN	1/2 inch by 1/4 inch Natural Nylon Barbed Elbow Reducer
L-8B4B-NPP	1/2 inch by 1/4 inch Natural Polypropylene Barbed Elbow Reducer
L-8B4B-BKPP	1/2 inch by 1/4 inch Black Polypropylene Barbed Elbow Reducer
L-8B4B-PE	1/2 inch by 1/4 inch Polyethylene Barbed Elbow Reducer
L-8B6B-NN	1/2 inch by 3/8 inch Natural Nylon Barbed Elbow Reducer
L-8B6B-NPP	1/2 inch by 3/8 inch Natural Polypropylene Barbed Elbow Reducer
L-8B6B-BKPP	1/2 inch by 3/8 inch Black Polypropylene Barbed Elbow Reducer
L-8B6B-PE	1/2 inch by 3/8 inch Polyethylene Barbed Elbow Reducer



Y-T SERIES

Y-T Series is a multi-barbed Wye connector and is available in Nylon and Black Polypropylene. This connector comes in three different equal barb sizes: 1/4 inch, 3/8 inch, and 1/2 inch.

SKU	Description
Y-T-4B-BPP	1/4 inch Multi-Barbed Black Polypropylene Wye Connector
Y-T-4B-NN	1/4 inch Multi-Barbed Natural Nylon Wye Connector
Y-T-6B-BPP	3/8 inch Multi-Barbed Black Polypropylene Wye Connector
Y-T-6B-NN	3/8 inch Multi-Barbed Natural Nylon Wye Connector
Y-T-8B-BPP	1/2 inch Multi-Barbed Black Polypropylene Wye Connector
Y-T-8B-NN	1/2 inch Multi-Barbed Natural Nylon Wye Connector

L-IG SERIES



The L-IG Series are multi-barbed elbows made of Black and White Nylon and Gray Polypropylene. The ports are 1/16 inch and 1/8 inch. The maximum working pressure is 125 psi and the temperature ranges are: Nylon -50° F to 180° F; Polypropylene -40° F to 200° F.

SKU	Description
L-IG-1B-BN	1/16 inch Black Nylon Multi-Barbed Elbow
L-IG-1B-GPP	1/16 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-1B-WN	1/16 inch White Nylon Multi-Barbed Elbow
L-IG-2B-BN	1/8 inch Black Nylon Multi-Barbed Elbow
L-IG-2B-GPP	1/8 inch Gray Polypropylene Multi-Barbed Elbow
L-IG-2B-WN	1/8 inch White Nylon Multi-Barbed Elbow



T SERIES

The T Series is a series of plastic single and multi-barbed tee connectors. This series is available in NSF-listed Natural Nylon, Black Polyethylene, and FDA-listed Natural Black Polypropylene. Equal and reducing barb sizes ranging from .170 inches to 1-1/2 inches are available (see list below). Barb sizes over 1 inch are not available in Polyethylene.

SKU	Description
T-.170B-NN-NSF	.170 inch NSF Natural Nylon Single Barbed Tee - use only with poly tube
T-.170B-BPE-NSF	.170 inch NSF Black Polyethylene Single Barbed Tee - use only with poly tube
T-.170B-NPP-FDA	.170 inch FDA Natural Polypropylene Single Barbed Tee - use only with poly tube
T-.170B-BPP-FDA	.170 inch FDA Black Polypropylene Single Barbed Tee - use only with poly tube
T-3B-NN-NSF	3/16 inch NSF Natural Nylon Single Barbed Tee Connector
T-3B-BPE-NSF	3/16 inch NSF Black Polyethylene Single Barbed Tee Connector
T-3B-NPP-FDA	3/16 inch FDA Natural Polypropylene Single Barbed Tee Connector
T-3B-BPP-FDA	3/16 inch FDA Black Polypropylene Single Barbed Tee Connector
T-2B-NN-NSF	1/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-2B-BPE-NSF	1/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-2B-NPP-FDA	1/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-2B-BPP-FDA	1/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-532B-NN-NSF	5/32 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-532B-BPE-NSF	5/32 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-532B-NPP-FDA	5/32 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-532B-BPP-FDA	5/32 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B-NN-NSF	1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B-BPE-NSF	1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B-NPP-FDA	1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-4B-BPP-FDA	1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-5B-NN-NSF	5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-5B-BPE-NSF	5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-5B-NPP-FDA	5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-5B-BPP-FDA	5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-6B-NN-NSF	3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-6B-BPE-NSF	3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector

SKU	Description
T-6B-NPP-FDA	3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-6B-BPP-FDA	3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-8B-NN-NSF	1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-8B-BPE-NSF	1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-8B-NPP-FDA	1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-8B-BPP-FDA	1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-10B-NN-NSF	5/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-10B-BPE-NSF	5/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-10B-NPP-FDA	5/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-10B-BPP-FDA	5/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-12B-NN-NSF	3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-12B-BPE-NSF	3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-12B-NPP-FDA	3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-12B-BPP-FDA	3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-16B-NN-NSF	1 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-16B-BPE-NSF	1 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-16B-NPP-FDA	1 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-16B-BPP-FDA	1 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-20B-NN-NSF	1-1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-20B-BPE-NSF	1-1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-20B-NPP-FDA	1-1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-20B-BPP-FDA	1-1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-24B-NN-NSF	1-1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-24B-BPE-NSF	1-1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-24B-NPP-FDA	1-1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-24B-BPP-FDA	1-1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B5B-NN-NSF	1/4 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B5B-BPE-NSF	1/4 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B5B-NPP-FDA	1/4 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-4B5B-BPP-FDA	1/4 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B6B-BPE-NSF	1/4 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B6B-BPP-FDA	1/4 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B6B-NN-NSF	1/4 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B6B-NPP-FDA	1/4 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector

SKU	Description
T-6B8B-BPE-NSF	3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-6B8B-BPP-FDA	3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-6B8B-NN-NSF	3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-6B8B-NPP-FDA	3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-8B12B-BPE-NSF	1/2 inch by 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-8B12B-BPP-FDA	1/2 inch by 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-8B12B-NN-NSF	1/2 inch by 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-8B12B-NPP-FDA	1/2 inch by 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-532B2B-NN-NSF	5/32 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-532B2B-BPE-NSF	5/32 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-532B2B-NPP-FDA	5/32 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-532B2B-BPP-FDA	5/32 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-5B4B-BPE-NSF	5/16 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-5B4B-BPP-FDA	5/16 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-5B4B-NN-NSF	5/16 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-5B4B-NPP-FDA	5/16 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-6B3B-BPE-NSF	3/8 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-6B3B-BPP-FDA	3/8 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-6B3B-NN-NSF	3/8 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-6B3B-NPP-FDA	3/8 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-6B4B-BPE-NSF	3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-6B4B-BPP-FDA	3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-6B4B-NN-NSF	3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-6B4B-NPP-FDA	3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector

SKU	Description
T-8B4B-BPE-NSF	1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B4B-BPP-FDA	1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B4B-NN-NSF	1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B4B-NPP-FDA	1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-8B5B-BPE-NSF	1/2 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B5B-BPP-FDA	1/2 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B5B-NN-NSF	1/2 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B5B-NPP-FDA	1/2 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-8B6B-BPE-NSF	1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B6B-BPP-FDA	1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B6B-NN-NSF	1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B6B-NPP-FDA	1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B4B-BPE-NSF	5/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B4B-BPP-FDA	5/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B4B-NN-NSF	5/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B4B-NPP-FDA	5/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B5B-BPE-NSF	5/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B5B-BPP-FDA	5/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B5B-NN-NSF	5/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B5B-NPP-FDA	5/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B6B-BPE-NSF	5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B6B-BPP-FDA	5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B6B-NN-NSF	5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B6B-NPP-FDA	5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector

SKU	Description
T-10B8B-BPE-NSF	5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B8B-BPP-FDA	5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B8B-NN-NSF	5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B8B-NPP-FDA	5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-12B8B-BPE-NSF	3/4 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-12B8B-BPP-FDA	3/4 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-12B8B-NN-NSF	3/4 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-12B8B-NPP-FDA	3/4 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector



YA SERIES

The YA Series are multi-barbed wye connectors and are made of Acetal. There is a 90° span between the top two legs of this wye connector. Available barb sizes are 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 7/16 inch, 1/2 inch, 9/16 inch, 3/4 inch, 5/32 inch by 1/4 inch, and 1/4 inch by 5/6 inch. Barb sizes can also be used for metric tubing.

SKU	Description
YA-2	1/8 inch (3 mm) Acetal Multi-Barbed Wye Connector
YA-3	3/16 inch (5 mm) Acetal Multi-Barbed Wye Connector
YA-4	1/4 inch (6 mm) Acetal Multi-Barbed Wye Connector
YA-5	5/16 inch (8 mm) Acetal Multi-Barbed Wye Connector
YA-532	5/32 inch (4 mm) Acetal Multi-Barbed Wye Connector
YA-6	3/8 inch (10 mm) Acetal Multi-Barbed Wye Connector
YA-7	7/16 inch (11 mm) Acetal Multi-Barbed Wye Connector
YA-8	1/2 inch (13 mm) Acetal Multi-Barbed Wye Connector
YA-9	9/16 inch (14 mm) Acetal Multi-Barbed Wye Connector
YA-10	5/8 inch (16 mm) Acetal Multi-Barbed Wye Connector
YA-12	3/4 inch (19 mm) Acetal Multi-Barbed Wye Connector
YA-532-4	5/32 inch by 1/4 inch Acetal Multi-Barbed Wye Connector

SKU	Description
YA-4-5	1/4 inch by 5/16 inch Acetal Multi-Barbed Wye Connector



VC-Y SERIES

The VC-Y Series are vacuum-style Wye fittings. Available in Natural or Black Nylon 6/6. The equal barb sizes for this wye are 3/16 inch, 1/4 inch, and 3/8 inch. The available reducing barb size is 1/4 inch by 3/16 inch. The working temperature range is from -20° F to 212° F. This wye is recommended for air, liquid, and vapor applications.

SKU	Description
VC-Y-3B-NN	3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-3B-BN	3/16 inch Black Nylon Vacuum Wye Connector
VC-Y-4B-NN	1/4 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B-BN	1/4 inch Black Nylon Vacuum Wye Connector
VC-Y-6B-NN	3/8 inch Natural Nylon Vacuum Wye Connector
VC-Y-6B-BN	3/8 inch Black Nylon Vacuum Wye Connector
VC-Y-4B3B-O-NN	1/4 inch by 3/16 inch Natural Nylon Vacuum Wye Connector
VC-Y-4B3B-O-BN	1/4 inch by 3/16 inch Black Nylon Vacuum Wye Connector



SFE SERIES

SFE Series is an Elbow adapter made of PVC and can be used for irrigation and O.E.M. applications. There is a wide variety of configurations available for use with Polyethylene pipe sizes 1/2" through 2”. Also, it conforms to ASTM D 2609 and is NSF-certified for use with potable water. Female NPT thread sizes are 1/2", 3/4", 1”, 1-1/4”, 1-1/2” and 2”. Furthermore, Barb sizes range from 1/2" to 1-1/2”.



CH-O SERIES

CH-O Series multi-barbed connector is offered in Nylon material. In addition, the sizes offered are 1/4" 3/8" 1/2" 5/8" 3/4", and 1-inch configurations.



PLASTIC SINGLE BARB

These unassuming connectors bridge the gap between flexible tubing and other hoses or equipment. In low-pressure scenarios, they, ensure a seamless connection without fuss.



GEN1 SERIES BARBED FITTINGS

GEN1 Series, manufactured by Pneuline, are single-barbed plastic fittings without a parting line on the barb.

Click Here to View Material Options.

Choosing the Right Material for Your Application

- **Black Nylon** – Built to withstand the sun! With UV resistance, it's perfect for outdoor use.
- **Glass-Filled Nylon** – Stronger and liquid-resistant, ideal for water-heavy environments and rugged motor vehicles like motorcycles, boats, and cars.
- **PVDF, Polypropylene & Polycarbonate** – These **Class 6 USP** materials meet the highest standards for medical and bio-pharmaceutical applications and are completely bovine-free.
- **Acetal** – Certified for **NSF 51/61** standards, making it a trusted choice for potable water and food-related applications.

Regardless of the industry, we offer materials designed for durability, compliance, and optimal performance.

Available Connection Types:

✔ **Tees** – Branch flow in two directions.

✔ **Elbows** – Redirect flow at an angle.

✔ **Straight Connections** – Maintain direct, linear flow.

✔ **F Style Port Connections** – Multi-barb ports for complex routing.

✔ **E Style Port Connections** – Multi-barb ports for modular setups.

*Our products can be manufactured in **Class 7 cleanroom environment**, ensuring the highest levels of cleanliness and contamination control.*

GEN1 Series offers barbed fittings in a range of sizes—**1/16", 1/8", 3/16", 1/4", and 3/8"**


View our Flyer Here

SKU	Description	Material Options
GEN1-T-1B	1/16 inch Single Barb Tee	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
Gen1-T-2B	1/8 inch Single Barb Tee	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available Polypropylene"

SKU	Description	Material Options
Gen1-T-3B	3/16 Single Barb Tee	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-T-4B	1/4 inch Single Barb Tee	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-T-6B	3/8 inch Single Barb Tee	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
Gen1-L-1B	1/16 inch Barbed Elbow	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
Gen1-L-2B	1/8 Inch Barbed Elbow	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-L-3B	3/16 inch Single Barb Elbow	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-L-4B	1/4 inch Single Barb Elbow	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-L-6B	3/8 inch Single Barb Elbow	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
Gen1-S-1B	1/16 Inch Single Barb Straight	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
Gen1-S-2B	1/8 inch Single Barb Straight	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-S-3B	3/16 inch Single Barb Straight	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-S-4B	1/4 inch Single Barb Straight	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene

SKU	Description	Material Options
GEN1-S-6B	3/8 inch Single Barb Straight	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-F-2B	1/8 inch Multi Port F Style	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene
GEN1-MAN-2B	1/8 inch Multi Port E Manifold Style	Glass-Filled Nylon (Black Available) Nylon (Black Available) Kynar® (Gray Available) Polypropylene

C-U SERIES- BARB FITTING



The C-U series is the ultimate high-flow single barb fitting for soft plastic tubing. The barb will expand the tubing up to 40%. This series is available as an equal or reducing fitting. Sizes ranging from 1/16 inch to 1 inch are available. Optional materials include Natural Nylon, Black Nylon, White Nylon, Polycarbonate, Polypropylene, and PVDF.

SKU	Description
C-U-2B	1/8 Barb Connector
C-U-3B	3/16 Barb Connector
C-U-4B	1/4 Barb Connector
C-U-532B	5/32 Barb Connector
C-U-5B	5/16 Barb Connector
C-U-6B	3/8 Barb Connector
C-U-8B	1/2 Barb Connector
C-U-10B	5/8 Barb Connector
C-U-12B	3/4 Barb Connector
C-U-16B	1 inch Barb Connector
C-U-2B1B	1/8 Barb by 1/16 Barb Reducer
C-U-2B332B	1/8 Barb by 3/32 Barb Reducer
C-U-3B2B	3/16 Barb by 1/8 Barb Reducer
C-U-3B332B	3/16 Barb by 3/32 Barb Reducer
C-U-3B532B	3/16 Barb by 5/32 Barb Reducer
C-U-4B2B	1/4 Barb by 1/8 Barb Reducer
C-U-4B3B	1/4 Barb by 3/16 Barb Reducer

SKU	Description
C-U-4B532B	1/4 Barb by 5/32 Barb Reducer
C-U-532B1B	5/32 Barb by 1/16 Barb Reducer
C-U-5B3B	5/16 Barb by 3/16 Barb Reducer
C-U-5B4B	5/16 Barb by 1/4 Barb Reducer
C-U-5B532B	5/16 Barb by 5/32 Barb Reducer
C-U-6B2B	3/8 Barb by 1/8 Barb Reducer
C-U-6B4B	3/8 Barb by 1/4 Barb Reducer
C-U-8B4B	1/2 Barb by 1/4 Barb Reducer
C-U-8B6B	1/2 Barb by 3/8 Barb Reducer
C-U-10B4B	5/8 Barb by 1/4 Barb Reducer
C-U-12B8B	3/4 Barb by 1/2 Barb Reducer
C-U-16B12B	1 inch Barb by 3/4 inch Barb Reducer

L-R CONNECTOR SERIES



The L-R Series is a standard, single barbed Elbow connector made of Natural and Black Nylon, Gray PVDF, and NSF 51/61 certified Polyethylene. It is also available in high-density Polyethylene, Natural and White Polypropylene, and Glass-Filled Black Nylon. This elbow is available in equal barbs as well as in a reducing configuration. Equal barb sizes are 1/8 inch, 3/32 inch, 3/16 inch, 1/4 inch, 5/32 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing sizes are 5/16 inch by 1/4 inch and 1/2 inch by 3/8 inch.

SKU	Description
L-R-2B	1/8 Barb Elbow
L-R-332B	3/32 Barb Elbow
L-R-3B	3/16 Barb Elbow
L-R-4B	1/4 Barb Elbow
L-R-532B	5/32 Barb Elbow
L-R-5B	5/16 Barb Elbow
L-R-6B	3/8 Barb Elbow
L-R-8B	1/2 Barb Elbow
L-R-10B	5/8 Barb Elbow
L-R-12B	3/4 Barb Elbow
L-R-16B	1 inch Barb Elbow
L-R-5B4B	5/16 by 1/4 Barb Elbow Reducer
L-R-8B6B	1/2 by 3/8 Barb Elbow Reducer



L-W SERIES

This series of precision, Single Barbed Elbows is available in White Nylon, Natural Polypropylene, and White ABS. The available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
L-W-332	3/32 Barb Precision Elbow Connector
L-W-16	1/16 Barb Precision Elbow Connector
L-W-18	1/8 Barb Precision Elbow Connector



DTF-S SERIES

The DTF-S Series is a three-port F-style fitting usually used with flexible tubing. It can expand tubing by 50% of its normal ID. This permits high-pressure capabilities. This fitting is available in White Nylon and Natural Polypropylene. All three ports are equal. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
DTF-S-1B-NPP	1/16 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector
DTF-S-1B-WN	1/16 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-2B-NPP	1/8 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector
DTF-S-2B-WN	1/8 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-332B-WN	3/32 inch White Nylon F-Style Single Barbed Double Tube Tee Connector
DTF-S-332-P	3/32 inch Natural Polypropylene F-Style Single Barbed Double Tube Tee Connector




C-O SERIES

The C-O Series are original single barbed straight and reducing connectors. These parts have no parting line on the barb. Tubing can be started on the barb before any expansion begins. Also, it will expand the tubing by 43% when completely inserted. Available materials are White Nylon and Natural Polypropylene. In addition, straight barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch. Reducing barb sizes come in combinations ranging from 1/16 inch to 3/8 inch (listed below).

SKU	Description
C-O-2B1B	1/8 Barb to 1/16 Barb Reducing Connector
C-O-332B1B	3/32 Barb to 1/16 Barb Reducing Connector
C-O-332B-2B	3/32 Barb to 1/8 Barb Reducing Connector
C-O-3B1B	3/16 Barb to 1/16 Barb Reducing Connector
C-O-3B2B	3/16 Barb to 1/8 Barb Reducing Connector
C-O-3B332B	3/16 Barb to 3/32 Barb Reducing Connector
C-O-3B532B	3/16 Barb by 5/32 Barb Reducing Connector
C-O-4B2B	1/4 Barb to 1/8 Barb Reducing Connector
C-O-4B3B	1/4 Barb to 3/16 Barb Reducing Connector
C-O-4B532B	1/4 Barb to 5/32 Barb Reducing Connector
C-O-532B1B	5/32 Barb to 1/16 Barb Reducing Connector
C-O-532B2B	5/32 Barb to 1/8 Barb Reducing Connector
C-O-532B332B	5/32 Barb to 3/32 Barb Reducing Connector
C-O-1B	1/16 Barb Connector
C-O-2B	1/8 Barb Connector
C-O-332B	3/32 Barb Connector
C-O-3B	3/16 Barb Connector
C-O-4B	1/4 Barb Connector
C-O-532B	5/32 Barb Connector

CPL SERIES



The CPL Series are equal or reducing elbow connectors. This series of single barbed elbows are available in Natural and Black Nylon, Natural Polypropylene, PVDF, and Polyethylene. The barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, and 1/4 inch.

SKU	Description
CPL-1B	1/16 Barb Elbow
CPL-2B	1/8 Barb Elbow
CPL-332B	3/32 Barb Elbow
CPL-2B1B	1/8 Barb to 1/16 Barb Elbow Reducer
CPL-2B332B	1/8 Barb by 3/32 Barb Elbow Reducer
CPL-332B1B	3/32 Barb by 1/16 Barb Elbow Reducer
CPL-3B1B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-3B2B	3/16 Barb by 1/8 Barb Elbow Reducer
CPL-4B1B	1/4 Barb by 1/16 Barb Elbow Reducer
CPL-4B2B	1/4 Barb by 1/8 Barb Elbow Reducer
CPL-4B332B	1/4 Barb by 3/32 Barb Elbow Reducer
CPL-532B1B	5/32 Barb by 1/16 Barb Elbow Reducer
CPL-532B2B	5/32 Barb by 1/8 Barb Elbow Reducer

EV SERIES



The EV Series are single barbed tube-to-tube elbows. These elbows are available in White and Black Nylon, Natural Polypropylene, Clear Polycarbonate, and PVDF. These elbows are available in equal or reduced sizes. Barb sizes are 1/16 inch, 1/8 inch, and 3/32 inch.

SKU	Description
EV-1B	1/16 Barb Elbow
EV-1B-400	1/16 Barb Elbow Low Profile
EV-2B	1/8 Barb Elbow
EV-332B	3/32 Barb Elbow
EV-2B1B	1/8 by 1/16 Barb Reducing Elbow

SKU	Description
EV-2B332B	1/8 by 3/32 Barb Reducing Elbow
EV-332B1B	3/32 by 1/16 Barb Reducing Elbow

C-SO SERIES



The C-SO Series are original single barbed straight and reducing connectors. These connectors have no parting line on the barb and have a square center hub. Also, tubing can be started on the barb of this connector before any expansion begins. It will expand the tubing by 43% when it is completely inserted. Available materials are Black and White Nylon, Natural Polypropylene, Clear Polycarbonate, and Natural PVDF. Available barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
C-SO-2B1B	1/8 to 1/16 Square Hub Reducer
C-SO-2B332B	1/8 by 3/32 Square Hub Reducer
C-SO-332B1B	3/32 to 1/16 Square Hub Reducer
C-SO-1B	1/16 Square Hub Connector
C-SO-2B	1/8 Square Hub Connector
C-SO-332B	3/32 Square Hub Connector



VC-T SERIES

The VC-T Series is a series of single-barbed vacuum Tees, available materials are Natural Nylon and Red Nylon. Reducing Tees (VC-TR) are available in Natural, White, and Black Nylon 6/6. The temperature range for these tees is -20° F to 212° F. They can be used for air, liquid, and vapor.

SKU	Description
VC-T-3B4B	3/16 by 1/4 Vacuum Reducing Tee
VC-T-6B4B	3/8 by 1/4 Vacuum Reducing Tee
VC-TR-2B3B	1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B3B	3/16 by 1/8 by 3/16 Vacuum Reducing Tee
VC-TR-3B2B	3/16 by 1/8 Vacuum Reducing Tee
VC-TR-4B3B	1/4 by 3/16 Vacuum Reducing Tee
VC-TR-6B3B6B	3/8 by 3/16 by 3/8 Vacuum Reducing Tee



CNR SERIES

The CNR Series is a series of single barbed straight and reducing connectors. Available materials are Black Glass-Filled and Natural Nylon, White and Natural Polypropylene, Gray and Natural PVDF, and NSF 51/61 listed High-Density Polyethylene. Furthermore, the equal barb sizes include 3/32 inch, 5/32 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch. Reducing barb sizes come in combinations of 1/16 inch, 3/32 inch, 1/8 inch, 5/32 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, 5/8 inch, 3/4 inch, and 1 inch.

SKU	Description
CNR-332B1B	3/32 Single Barb by 1/16 Single Barb Reducer
CNR-3B2B	3/16 Single Barb by 1/8 Single Barb Reducer
CNR-4B2B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B332B	1/4 Single Barb by 3/32 Single Barb Reducer
CNR-4B3B	1/4 Single Barb by 1/8 Single Barb Reducer
CNR-4B532B	1/4 Single Barb by 5/32 Single Barb Reducer
CNR-5B4B	5/16 Single Barb by 1/4 Single Barb Reducer

Plastic Barbed Fittings

SKU	Description
CNR-6B4B	3/8 Single Barb by 1/4 Single Barb Reducer
CNR-6B5B	3/8 Single Barb by 5/16 Single Barb Reducer
CNR-8B4B	1/2 Single Barb by 1/4 Single Barb Reducer
CNR-8B5B	1/2 Single Barb by 5/16 Single Barb Reducer
CNR-8B6B	1/2 Single Barb by 3/8 Single Barb Reducer
CNR-10B4B	5/8 Single Barb by 1/4 Single Barb Reducer
CNR-10B5B	5/8 Single Barb by 5/16 Single Barb Reducer
CNR-10B6B	5/8 Single Barb by 3/8 Single Barb Reducer
CNR-10B8B	5/8 Single Barb by 1/2 Single Barb Reducer
CNR-12B10B	3/4 Single Barb by 5/8 Single Barb Reducer
CNR-12B6B	3/4 Single Barb by 3/8 Single Barb Reducer
CNR-12B8B	3/4 Single Barb by 1/2 Single Barb Reducer
CNR-16B10B	1 inch Single Barb by 5/8 Single Barb Reducer
CNR-16B12B	1 inch Single Barb by 3/4 Single Barb Reducer
CNR-16B8B	1 inch Single Barb by 1/2 Single Barb Reducer
CNR-332B	3/32 Standard Single Barb Connector
CNR-3B	3/16 Standard Single Barb Connector
CNR-4B	1/4 Standard Single Barb Connector
CNR-532B	5/32 Standard Single Barb Connector
CNR-6B	3/8 Standard Single Barb Connector
CNR-8B	1/2 Standard Single Barb Connector
CNR-10B	5/8 Standard Single Barb Connector
CNR-12B	3/4 Standard Single Barb Connector
CNR-16B	1 inch Standard Single Barb Connector



C-W SERIES

The C-W Series is a single barbed precision connector. These connectors are made of Natural Nylon, Natural Polypropylene and Polycarbonate. The available equal barb sizes are 3/32 inch, 1/16 inch, and 1/8 inch.

SKU	Description
C-W-1B	1/16 Barb Precision Connector
C-W-2B	1/8 Barb Precision Connector
C-W-332	3/32 Barb Precision Connector





CPP SERIES

The CPP Series is a standard single-barbed connector with equal barbs. Included in this series is the CPR Series, which is the reducing connector. Both series are available in Natural, White, and Black Nylon, Polypropylene, PVDF, and Polyethylene. Equal barb sizes (CPP Series) are 1/16 inch, 3/32 inch, and 1/8 inch. Reducing barb sizes (CPR Series) are 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, 3/32 inch by 5/32 inch, 1/4 inch by 1/16 inch, 1/4 inch by 3/32 inch, 1/4 inch by 3/16 inch, 5/32 inch by 1/16 inch, 5/32 inch by 1/8 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CPP-1B	1/16 inch Standard Barbed Connector
CPP-2B	1/8 inch Standard Barbed Connector
CPP-332B	3/32 inch Standard Barbed Connector
CPR-2B1B	1/8 by 1/16 Standard Barbed Reducer
CPR-2B332B	1/8 by 3/32 Standard Barb Reducer
CPR-332B1B	3/32 by 1/16 Standard Barbed Reducer
CPR-3B532B	3/16 by 5/32 Standard Barbed Reducer
CPR-4B1B	1/4 by 1/16 Standard Barbed Reducer
CPR-4B2B	1/4 by 1/8 Standard Barbed Reducer
CPR-4B332B	1/4 by 3/32 Standard Barbed Reducer
CPR-4B3B	1/4 by 3/16 Standard Barbed Reducer

SKU	Description
CPR-532B1B	5/32 by 1/16 Standard Barbed Reducer
CPR-532B2B	5/32 by 1/8 Standard Barbed Reducer
CPR-532B332B	5/32 by 3/32 Standard Barbed Reducer



CR-S SERIES

The CR-S Series are standard equal and reducing single barbed straight connectors with no parting line on the barb. These are ideal for medical and laboratory environments. The barbs will expand tubing up to 50% above its normal size. Both equal and reducing connectors are produced of White and Black Nylon, Natural Polypropylene, PVDF, and Polycarbonate. Equal connectors also have the options of Red and Blue Nylon. Orifices are also available. Equal barb sizes: 1/8 inch. Reducing barb sizes: 1/8 inch by 1/16 inch, 1/8 inch by 3/32 inch, 3/32 inch by 1/16 inch, and 5/32 inch by 3/32 inch.

SKU	Description
CR-S-2B2B-WN	1/8 inch White Nylon Single Barbed Straight Connector
CR-S-2B2B-BN	1/8 inch Black Nylon Single Barbed Straight Connector
CR-S-2B2B-NPP	1/8 inch Natural Polypropylene Single Barbed Straight Connector
CR-S-2B2B-PVDF	1/8 inch PVDF Single Barbed Straight Connector
CR-S-2B2B-PC	1/8 inch Polycarbonate Single Barbed Straight Connector
CR-S-2B2B-BL	1/8 inch Blue Nylon Single Barbed Straight Connector
CR-S-2B2B-RD	1/8 inch Red Nylon Single Barbed Straight Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B1B-PC	1/8 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B1B-PVDF	1/8 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-2B1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-2B1B-BN	1/8 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-2B332B-BN	1/8 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector

SKU	Description
CR-S-2B332B-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-2B332B-PC	1/8 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-2B332B-PVDF	1/8 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-2B332B-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Connector
CR-S-2B332B-YEL	1/8 inch by 3/32 inch Yellow Nylon Single Barbed Reducing Connector
CR-S-332B1B-BN	3/32 inch by 1/16 inch Black Nylon Single Barbed Reducing Connector
CR-S-332B1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-332B1B-PC	3/32 inch by 1/16 inch Polycarbonate Single Barbed Reducing Connector
CR-S-332B1B-PVDF	3/32 inch by 1/16 inch PVDF Single Barbed Reducing Connector
CR-S-332B1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Connector
CR-S-532B332B-BN	5/32 inch by 3/32 inch Black Nylon Single Barbed Reducing Connector
CR-S-532B332B-NPP	5/32 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Connector
CR-S-532B332B-PC	5/32 inch by 3/32 inch Polycarbonate Single Barbed Reducing Connector
CR-S-532B332B-PVDF	5/32 inch by 3/32 inch PVDF Single Barbed Reducing Connector
CR-S-532B332B-WN	5/32 inch by 3/32 inch White Nylon Single Barbed Reducing Connector

VC-S SERIES



The VC-S Series are straight vacuum connectors in equal and reducing styles. It is made of Natural or Black Nylon 6/6. Equal barb sizes are 1/8 inch, 3/16 inch, 1/4 inch, 5/16 inch, 3/8 inch, 1/2 inch, and 5/8 inch. In addition, reducing barb sizes are 3/16 inch by 5/32 inch, 1/4 inch by 1/8 inch, 1/4 inch by 3/16 inch, 5/16 inch by 1/4 inch, and 3/8 inch by 1/4 inch. The working temperature range is -20° F to 212° F. These connectors are used for air, liquid, and vapor applications.

SKU	Description
VC-S-2B	1/8 Barb Vacuum Connector
VC-S-3B	3/16 Barb Vacuum Connector
VC-S-4B	1/4 Barb Vacuum Connector
VC-S-5B	5/16 Barb Vacuum Connector
VC-S-6B	3/8 Barb Vacuum Connector
VC-S-8B	1/2 Barb Vacuum Connector
VC-S-10B	5/8 Barb Vacuum Connector
VC-S-3B532BB	3/16 Barb by 5/32 Barb Vacuum Reducer
VC-S-4B2B	1/4 Barb by 1/8 Barb Vacuum Reducer
VC-S-4B3B	1/4 Barb by 3/16 Barb Vacuum Reducer
VC-S-5B4B	5/16 Barb by 1/4 Barb Vacuum Reducer
VC-S-6B4B	3/8 Barb by 1/4 Barb Vacuum Reducer



T-R SERIES

The T-R Series is a standard industrial-grade, single-barbed Tee connector. There is a rib behind the barb to prevent the tubing from rotating. There is no parting line on the barb. This Tee is available in Natural and Black Nylon, Natural and Gray PVDF, Polyethylene certified NSF 51/61, Natural and White Polypropylene, HDPE, and Glass-Filled Black Nylon. Equal barb connectors come in a range of sizes from 3/32 inch to 1 inch (see list below). The reducing barb sizes available for this series are 5/8 inch by 3/8 inch.

SKU	Description
T-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
T-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Connector
T-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
T-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Connector
T-R-10B6B-HDPE	5/8 inch by 3/8 inch High-Density Polyethylene Single Barbed Reducing Tee Connector
T-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
T-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Connector
T-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass Filled Black Nylon Single Barbed Reducing Tee Connector
T-R-2B-NN	1/8 inch Natural Nylon Single Barbed Tee Connector
T-R-2B-BN	1/8 inch Black Nylon Single Barbed Tee Connector
T-R-2B-PVDF	1/8 inch PVDF Single Barbed Tee Connector
T-R-2B-GPVDF	1/8 inch Gray PVDF Single Barbed Tee Connector
T-R-2B-PE-NSF	1/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-2B-HDPE	1/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-2B-WPP	1/8 inch White Polypropylene Single Barbed Tee Connector
T-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-332B-NN	3/32 inch Natural Nylon Single Barbed Tee Connector
T-R-332B-BN	3/32 inch Black Nylon Single Barbed Tee Connector
T-R-332B-PVDF	3/32 inch PVDF Single Barbed Tee Connector
T-R-332B-GPVDF	3/32 inch Gray PVDF Single Barbed Tee Connector
T-R-332B-PE-NSF	3/32 inch NSF Polyethylene Singly Barbed Tee Connector

SKU	Description
T-R-332B-HDPE	3/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-332B-WPP	3/32 inch White Polypropylene Single Barbed Tee Connector
T-R-332B-GFBN	3/32 inch Glass Filled Black Nylon Single Barbed Tee Connector
T-R-3B-NN	3/16 inch Natural Nylon Single Barbed Tee Connector
T-R-3B-BN	3/16 inch Black Nylon Single Barbed Tee Connector
T-R-3B-PVDF	3/16 inch PVDF Single Barbed Tee Connector
T-R-3B-GPVDF	3/16 inch Gray PVDF Single Barbed Tee Connector
T-R-3B-PE-NSF	3/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-3B-HDPE	3/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-3B-WPP	3/16 inch White Polypropylene Single Barbed Tee Connector
T-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-4B-NN	1/4 inch Natural Nylon Single Barbed Tee Connector
T-R-4B-BN	1/4 inch Black Nylon Single Barbed Tee Connector
T-R-4B-PVDF	1/4 inch PVDF Single Barbed Tee Connector Natural
T-R-4B-GPVDF	1/4 inch Gray PVDF Single Barbed Tee Connector
T-R-4B-PE-NSF	1/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-4B-HDPE	1/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-4B-NPP	1/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-4B-WPP	1/4 inch White Polypropylene Single Barbed Tee Connector
T-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-532B-NN	5/32 inch Natural Nylon Single Barbed Tee Connector
T-R-532B-BN	5/32 inch Black Nylon Single Barbed Tee Connector
T-R-532B-PVDF	5/32 inch PVDF Single Barbed Tee Connector
T-R-532B-GPVDF	5/32 inch Gray PVDF Single Barbed Tee Connector
T-R-532B-PE-NSF	5/32 inch NSF Polyethylene Single Barbed Tee Connector
T-R-532B-HDPE	5/32 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-532B-NPP	5/32 inch Natural Polypropylene Single Barbed Tee Connector
T-R-532B-WPP	5/32 inch White Polypropylene Single Barbed Tee Connector
T-R-532B-GFBN	5/32 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-5B-NN	5/16 inch Natural Nylon Single Barbed Tee Connector
T-R-5B-BN	5/16 inch Black Nylon Single Barbed Tee Connector
T-R-5B-PVDF	5/16 inch PVDF Single Barbed Tee Connector
T-R-5B-GPVDF	5/16 inch Gray PVDF Single Barbed Tee Connector
T-R-5B-PE-NSF	5/16 inch NSF Polyethylene Single Barbed Tee Connector
T-R-5B-HDPE	5/16 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-5B-NPP	5/16 inch Natural Polypropylene Single Barbed Tee Connector
T-R-5B-WPP	5/16 inch White Polypropylene Single Barbed Tee Connector
T-R-5B-GFBN	5/16 inch Glass-Filled Black Nylon Single Barbed Tee Connector

SKU	Description
T-R-6B-NN	3/8 inch Natural Nylon Single Barbed Tee Connector
T-R-6B-BN	3/8 inch Black Nylon Single Barbed Tee Connector
T-R-6B-PVDF	3/8 inch PVDF Single Barbed Tee Connector
T-R-6B-GPVDF	3/8 inch Gray PVDF Single Barbed Tee Connector
T-R-6B-PE-NSF	3/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-6B-HDPE	3/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-6B-NPP	3/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-6B-WPP	3/8 inch White Polypropylene Single Barbed Tee Connector
T-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-8B-NN	1/2 inch Natural Nylon Single Barbed Tee Connector
T-R-8B-BN	1/2 inch Black Nylon Single Barbed Tee Connector
T-R-8B-PVDF	1/2 inch PVDF Single Barbed Tee Connector
T-R-8B-GPVDF	1/2 inch Gray PVDF Single Barbed Tee Connector
T-R-8B-PE-NSF	1/2 inch NSF Polyethylene Single Barbed Tee Connector
T-R-8B-HDPE	1/2 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-8B-NPP	1/2 inch Natural Polypropylene Single Barbed Tee Connector
T-R-8B-WPP	1/2 inch White Polypropylene Single Barbed Tee Connector
T-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-10B-NN	5/8 inch Natural Nylon Single Barbed Tee Connector
T-R-10B-BN	5/8 inch Black Nylon Single Barbed Tee Connector
T-R-10B-PVDF	5/8 inch PVDF Single Barbed Tee Connector
T-R-10B-GPVDF	5/8 inch Gray PVDF Single Barbed Tee Connector
T-R-10B-PE-NSF	5/8 inch NSF Polyethylene Single Barbed Tee Connector
T-R-10B-HDPE	5/8 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-10B-NPP	5/8 inch Natural Polypropylene Single Barbed Tee Connector
T-R-10B-WPP	5/8 inch White Polypropylene Single Barbed Tee Connector
T-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-12B-NN	3/4 inch Natural Nylon Single Barbed Tee Connector
T-R-12B-BN	3/4 inch Black Nylon Single Barbed Tee Connector
T-R-12B-PVDF	3/4 inch PVDF Single Barbed Tee Connector
T-R-12B-GPVDF	3/4 inch Gray PVDF Single Barbed Tee Connector
T-R-12B-PE-NSF	3/4 inch NSF Polyethylene Single Barbed Tee Connector
T-R-12B-HDPE	3/4 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-12B-NPP	3/4 inch Natural Polypropylene Single Barbed Tee Connector
T-R-12B-WPP	3/4 inch White Polypropylene Single Barbed Tee Connector
T-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Single Barbed Tee Connector
T-R-16B-NN	1 inch Natural Nylon Single Barbed Tee Connector
T-R-16B-BN	1 inch Black Nylon Single Barbed Tee Connector
T-R-16B-PVDF	1 inch PVDF Single Barbed Tee Connector
T-R-16B-GPVDF	1 inch Gray PVDF Single Barbed Tee Connector
T-R-16B-PE-NSF	1 inch NSF Polyethylene Single Barbed Tee Connector
T-R-16B-HDPE	1 inch High-Density Polyethylene Single Barbed Tee Connector
T-R-16B-NPP	1 inch Natural Polypropylene Single Barbed Tee Connector

SKU	Description
T-R-16B-WPP	1 inch White Polypropylene Single Barbed Tee Connector
T-R-16B-GFBN	1 inch Glass-Filled Black Nylon Single Barbed Tee Connector


T-S SERIES



The T-S Series standard single-barbed Tee is made of White Nylon and Natural Polypropylene. Available equal barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, and 1/4 inch. This Tee works well with flexible tubing and expands the tubing 50% above its normal ID.

SKU	Description
T-S-1B-400	1/16 Barb Tee Low Profile
T-S-1B	1/16 Barb Tee
T-S-2B	1/8 Barb Tee
T-S-332B	3/32 Barb Tee

TR-C SERIES



TR-C Series is a commercial-grade, single-barbed Tee connector. It is available in White Nylon. Barb sizes available are 1/8 inch by 3/16 inch, 1/8 inch by 1/4 inch, 5/32 inch by 3/16 inch, and 5/32 inch by 1/4 inch. Reducing barb sizes: 5/32 inch by 1/16 inch.

SKU	Description
TR-C-2B4B	1/8 by 1/4 Barb Reducing Tee
TR-C-532B1B	5/32 by 1/16 Barb Reducing Tee
TR-C-532B3B	5/32 by 3/16 Barb Reducing Tee
TR-C-532B4B	5/32 by 1/4 Barb Reducing Tee



T-W SERIES

T-W Series is a precision, equal single barbed tee connector. These tees are made of White Nylon or Polypropylene. Barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch.

SKU	Description
T-W-18NPP	1/8 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-18-WN	1/8 inch White Nylon Single Barbed Precision Tee Connector
T-W-1B-NPP	1/16 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-1B-WN	1/16 inch White Nylon Single Barbed Precision Tee Connector
T-W-332-NPP	3/32 inch Natural Polypropylene Single Barbed Precision Tee Connector
T-W-332-WN	3/32 inch White Nylon Single Barbed Precision Tee Connector





C SERIES

The C Series are standard multi-barbed straight and reducing connectors. They are available in Black Nylon, NSF listed Natural Nylon and Black Polyethylene, and FDA listed Natural and Black Polypropylene. Also, A range of barb sizes from 1/8 inch to 1 1/2 inch are available.

SKU	Description
C-2B2B-NN-NSF	1/8 inch NSF Natural Nylon Multi-Barbed Connector
C-2B2B-BPE-NSF	1/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-2B2B-NPP-FDA	1/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-2B2B-BPP-FDA	1/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-2B2B-BN	1/8 inch Black Nylon Multi-Barbed Connector
C-3B3B-NN-NSF	3/16 inch NSF Natural Nylon Multi-Barbed Connector
C-3B3B-BPE-NSF	3/16 inch NSF Black Polyethylene Multi-Barbed Connector

Plastic Barbed Fittings

SKU	Description
C-3B3B-NPP-FDA	3/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-3B3B-BPP-FDA	3/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-3B3B-BN	3/16 inch Black Nylon Multi-Barbed Connector
C-4B4B-NN-NSF	1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-4B4B-BPE-NSF	1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-4B4B-NPP-FDA	1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-4B4B-BPP-FDA	1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-4B4B-BN	1/4 inch Black Nylon Multi-Barbed Connector
C-5B5B-NN-NSF	5/16 inch NSF Natural Nylon Multi-Barbed Connector
C-5B5B-BPE-NSF	5/16 inch NSF Black Polyethylene Multi-Barbed Connector
C-5B5B-NPP-FDA	5/16 inch FDA Natural Polypropylene Multi-Barbed Connector
C-5B5B-BPP-FDA	5/16 inch FDA Black Polypropylene Multi-Barbed Connector
C-5B5B-BN	5/16 inch Black Nylon Multi-Barbed Connector
C-6B6B-NN-NSF	3/8 inch NSF Natural Nylon Multi-Barbed Connector
C-6B6B-BPE-NSF	3/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-6B6B-NPP-FDA	3/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-6B6B-BPP-FDA	3/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-6B6B-BN	3/8 inch Black Nylon Multi-Barbed Connector
C-8B8B-NN-NSF	1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-8B8B-BPE-NSF	1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-8B8B-NPP-FDA	1/2 inch FDA Natural Polypropylene Multi-Barbed Connector
C-8B8B-BPP-FDA	1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-8B8B-BN	1/2 inch Black Nylon Multi-Barbed Connector
C-10B10-NN-NSF	5/8 inch NSF Natural Nylon Multi-Barbed Connector
C-10B10B-BPE-NSF	5/8 inch NSF Black Polyethylene Multi-Barbed Connector
C-10B10B-NPP-FDA	5/8 inch FDA Natural Polypropylene Multi-Barbed Connector
C-10B10B-BPP-FDA	5/8 inch FDA Black Polypropylene Multi-Barbed Connector
C-10B10B-BN	5/8 inch Black Nylon Multi-Barbed Connector
C-12B12B-NN-NSF	3/4 inch NSF Natural Nylon Multi-Barbed Connector
C-12B12B-BPE-NSF	3/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-12B12B-NPP-FDA	3/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-12B12B-BPP-FDA	3/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-12B12B-BN	3/4 inch Black Nylon Multi-Barbed Connector
C-16B16B-NN-NSF	1 inch NSF Natural Nylon Multi-Barbed Connector
C-16B16B-BPE-NSF	1 inch NSF Black Polyethylene Multi-Barbed Connector
C-16B16B-NPP-FDA	1 inch FDA Natural Polypropylene Multi-Barbed Connector
C-16B16B-BPP-FDA	1 inch FDA Black Polypropylene Multi-Barbed Connector
C-16B16B-BN	1 inch Black Nylon Multi-Barbed Connector
C-20B20B-NN-NSF	1-1/4 inch NSF Natural Nylon Multi-Barbed Connector
C-20B20B-BPE-NSF	1-1/4 inch NSF Black Polyethylene Multi-Barbed Connector
C-20B20B-NPP-FDA	1-1/4 inch FDA Natural Polypropylene Multi-Barbed Connector
C-20B20B-BPP-FDA	1-1/4 inch FDA Black Polypropylene Multi-Barbed Connector
C-20B20B-BN	1-1/4 inch Black Nylon Multi-Barbed Connector

SKU	Description
C-24B24B-NN-NSF	1-1/2 inch NSF Natural Nylon Multi-Barbed Connector
C-24B24B-BPE	1-1/2 inch NSF Black Polyethylene Multi-Barbed Connector
C-24B24B-NPP-FDA	1-1/2 inch FDA Natural Polypropylene Multi-Barbed Connector
C-24B24B-BPP-FDA	1-1/2 inch FDA Black Polypropylene Multi-Barbed Connector
C-24B24B-BN	1-1/2 inch Black Nylon Multi-Barbed Connector
C-4B2B-NN-NSF	1/4 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B2B-BPE-NSF	1/4 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B2B-NPP-FDA	1/4 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BPP-FDA	1/4 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B2B-BN	1/4 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-4B3B-NN-NSF	1/4 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B3B-BPE-NSF	1/4 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B3B-NPP-FDA	1/4 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BPP-FDA	1/4 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-4B532-NN-NSF	1/4 inch by 5/32 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-4B532-BPE-NSF	1/4 inch by 5/32 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-4B532-NPP-FDA	1/4 inch by 5/32 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-4B532-BPP-FDA	1/4 inch by 5/32 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-4B532-BN	1/4 inch by 5/32 inch Black Nylon Multi-Barbed Reducing Connector
C-5B2B-NN-NSF	5/16 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-5B2B-BPE-NSF	5/16 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B2B-NPP-FDA	5/16 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BPP-FDA	5/16 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B2B-BN	5/16 inch by 1/8 inch Black Nylon Multi-Barbed Reducing Connector
C-5B3B-NN-NSF	5/16 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector

SKU	Description
C-5B3B-BPE-NSF	5/16 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-5B3B-NPP-FDA	5/16 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-5B3B-BPP-FDA	5/16 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-5B3B-BN	5/16 inch by 3/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B4B-NN-NSF	3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B4B-BPE-NSF	3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B4B-NPP-FDA	3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BPP-FDA	3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B4B-BN	3/8 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector
C-6B5B-NN-NSF	3/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B5B-BPE-NSF	3/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B5B-NPP-FDA	3/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BPP-FDA	3/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B5B-BN	3/8 inch by 5/16 inch Black Nylon Multi-Barbed Reducing Connector
C-6B8B-NN-NSF	3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-6B8B-BPE-NSF	3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-6B8B-NPP-FDA	3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BPP-FDA	3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-8B4B-NN-NSF	1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B4B-BPE-NSF	1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-8B4B-NPP-FDA	1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BPP-FDA	1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Multi-Barbed Reducing Connector

SKU	Description
C-8B6B-NN-NSF	1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-8B6B-BPE-NSF	1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-8B6B-NPP-FDA	1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BPP-FDA	1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Multi-Barbed Reducing Connector
C-10B6B-NN-NSF	5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B6B-BPE-NSF	5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B6B-NPP-FDA	5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BPP-FDA	5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Multi-Barbed Reducing Connector
C-10B8B-BPE-NSF	5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Connector
C-10B8B-BPP-FDA	5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Connector
C-10B8B-NN-NSF	5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Connector
C-10B8B-NPP-FDA	5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Connector
C-10B8B-BN	5/8 inch by 1/2 inch Black Nylon Multi-Barbed Reducing Connector
C-12B8B-NN-NSF	3/4 inch by 1/2 inch NSF Natural Nylon
C-12B8B-BPE-NSF	3/4 inch by 1/2 inch NSF Black Polyethylene
C-12B8B-NPP-FDA	3/4 inch by 1/2 inch FDA Natural Polypropylene
C-12B8B-BPP-FDA	3/4 inch by 1/2 inch FDA Black Polypropylene
C-12B8B-BN	3/4 inch by 1/2 inch Black Nylon



T SERIES

The T Series is a series of plastic single and multi-barbed tee connectors. This series is available in NSF-listed Natural Nylon, Black Polyethylene, and FDA-listed Natural Black Polypropylene. Equal and reducing barb sizes ranging from .170 inches to 1-1/2 inches are available (see list below). Barb sizes over 1 inch are not available in Polyethylene.

SKU	Description
T-.170B-NN-NSF	.170 inch NSF Natural Nylon Single Barbed Tee - use only with poly tube
T-.170B-BPE-NSF	.170 inch NSF Black Polyethylene Single Barbed Tee - use only with poly tube
T-.170B-NPP-FDA	.170 inch FDA Natural Polypropylene Single Barbed Tee - use only with poly tube
T-.170B-BPP-FDA	.170 inch FDA Black Polypropylene Single Barbed Tee - use only with poly tube
T-3B-NN-NSF	3/16 inch NSF Natural Nylon Single Barbed Tee Connector
T-3B-BPE-NSF	3/16 inch NSF Black Polyethylene Single Barbed Tee Connector
T-3B-NPP-FDA	3/16 inch FDA Natural Polypropylene Single Barbed Tee Connector
T-3B-BPP-FDA	3/16 inch FDA Black Polypropylene Single Barbed Tee Connector
T-2B-NN-NSF	1/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-2B-BPE-NSF	1/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-2B-NPP-FDA	1/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-2B-BPP-FDA	1/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-532B-NN-NSF	5/32 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-532B-BPE-NSF	5/32 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-532B-NPP-FDA	5/32 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-532B-BPP-FDA	5/32 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B-NN-NSF	1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B-BPE-NSF	1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B-NPP-FDA	1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-4B-BPP-FDA	1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-5B-NN-NSF	5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-5B-BPE-NSF	5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-5B-NPP-FDA	5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-5B-BPP-FDA	5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-6B-NN-NSF	3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-6B-BPE-NSF	3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector


SKU	Description
T-6B-NPP-FDA	3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-6B-BPP-FDA	3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-8B-NN-NSF	1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-8B-BPE-NSF	1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-8B-NPP-FDA	1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-8B-BPP-FDA	1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-10B-NN-NSF	5/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-10B-BPE-NSF	5/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-10B-NPP-FDA	5/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-10B-BPP-FDA	5/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-12B-NN-NSF	3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-12B-BPE-NSF	3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-12B-NPP-FDA	3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-12B-BPP-FDA	3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-16B-NN-NSF	1 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-16B-BPE-NSF	1 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-16B-NPP-FDA	1 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-16B-BPP-FDA	1 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-20B-NN-NSF	1-1/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-20B-BPE-NSF	1-1/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-20B-NPP-FDA	1-1/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-20B-BPP-FDA	1-1/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-24B-NN-NSF	1-1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-24B-BPE-NSF	1-1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-24B-NPP-FDA	1-1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-24B-BPP-FDA	1-1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B5B-NN-NSF	1/4 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B5B-BPE-NSF	1/4 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B5B-NPP-FDA	1/4 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-4B5B-BPP-FDA	1/4 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B6B-BPE-NSF	1/4 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-4B6B-BPP-FDA	1/4 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-4B6B-NN-NSF	1/4 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-4B6B-NPP-FDA	1/4 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Tee Connector

SKU	Description
T-6B8B-BPE-NSF	3/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-6B8B-BPP-FDA	3/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-6B8B-NN-NSF	3/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-6B8B-NPP-FDA	3/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-8B12B-BPE-NSF	1/2 inch by 3/4 inch NSF Black Polyethylene Multi-Barbed Tee Connector
T-8B12B-BPP-FDA	1/2 inch by 3/4 inch FDA Black Polypropylene Multi-Barbed Tee Connector
T-8B12B-NN-NSF	1/2 inch by 3/4 inch NSF Natural Nylon Multi-Barbed Tee Connector
T-8B12B-NPP-FDA	1/2 inch by 3/4 inch FDA Natural Polypropylene Multi-Barbed Tee Connector
T-532B2B-NN-NSF	5/32 inch by 1/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-532B2B-BPE-NSF	5/32 inch by 1/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-532B2B-NPP-FDA	5/32 inch by 1/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-532B2B-BPP-FDA	5/32 inch by 1/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-5B4B-BPE-NSF	5/16 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-5B4B-BPP-FDA	5/16 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-5B4B-NN-NSF	5/16 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-5B4B-NPP-FDA	5/16 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-6B3B-BPE-NSF	3/8 inch by 3/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-6B3B-BPP-FDA	3/8 inch by 3/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-6B3B-NN-NSF	3/8 inch by 3/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-6B3B-NPP-FDA	3/8 inch by 3/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-6B4B-BPE-NSF	3/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-6B4B-BPP-FDA	3/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-6B4B-NN-NSF	3/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-6B4B-NPP-FDA	3/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector

SKU	Description
T-8B4B-BPE-NSF	1/2 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B4B-BPP-FDA	1/2 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B4B-NN-NSF	1/2 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B4B-NPP-FDA	1/2 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-8B5B-BPE-NSF	1/2 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B5B-BPP-FDA	1/2 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B5B-NN-NSF	1/2 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B5B-NPP-FDA	1/2 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-8B6B-BPE-NSF	1/2 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-8B6B-BPP-FDA	1/2 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-8B6B-NN-NSF	1/2 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-8B6B-NPP-FDA	1/2 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B4B-BPE-NSF	5/8 inch by 1/4 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B4B-BPP-FDA	5/8 inch by 1/4 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B4B-NN-NSF	5/8 inch by 1/4 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B4B-NPP-FDA	5/8 inch by 1/4 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B5B-BPE-NSF	5/8 inch by 5/16 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B5B-BPP-FDA	5/8 inch by 5/16 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B5B-NN-NSF	5/8 inch by 5/16 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B5B-NPP-FDA	5/8 inch by 5/16 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-10B6B-BPE-NSF	5/8 inch by 3/8 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B6B-BPP-FDA	5/8 inch by 3/8 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B6B-NN-NSF	5/8 inch by 3/8 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B6B-NPP-FDA	5/8 inch by 3/8 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector

SKU	Description
T-10B8B-BPE-NSF	5/8 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-10B8B-BPP-FDA	5/8 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-10B8B-NN-NSF	5/8 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-10B8B-NPP-FDA	5/8 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector
T-12B8B-BPE-NSF	3/4 inch by 1/2 inch NSF Black Polyethylene Multi-Barbed Reducing Tee Connector
T-12B8B-BPP-FDA	3/4 inch by 1/2 inch FDA Black Polypropylene Multi-Barbed Reducing Tee Connector
T-12B8B-NN-NSF	3/4 inch by 1/2 inch NSF Natural Nylon Multi-Barbed Reducing Tee Connector
T-12B8B-NPP-FDA	3/4 inch by 1/2 inch FDA Natural Polypropylene Multi-Barbed Reducing Tee Connector

RT-S SERIES



The RT-S Series are standard single barbed reducing and enlarging tees. Available in White Nylon and Natural Polypropylene. Barb sizes are 1/16 inch, 3/32 inch, 1/8 inch, 3/16 inch, and 1/4 inch.

SKU	Description
RT-S-1B-2B-NPP	1/16 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-1B-2B-WN	1/16 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-2B-1B-NPP	1/8 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-1B-WN	1/8 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-2B-332-NPP	1/8 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-2B-332-WN	1/8 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-332B-1B-NPP	3/32 inch by 1/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-332B-1B-WN	3/32 inch by 1/16 inch White Nylon Single Barbed Reducing Tee Connector

SKU	Description
RT-S-332B-2B-NPP	3/32 inch by 1/8 inch Natural Polypropylene Single Barbed Tee Connector
RT-S-332B-2B-WN	3/32 inch by 1/8 inch White Nylon Single Barbed Tee Connector
RT-S-4B-2B-NPP	1/4 inch by 1/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-2B-WN	1/4 inch by 1/8 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-332B-NPP	1/4 inch by 3/32 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-332B-WN	1/4 inch by 3/32 inch White Nylon Single Barbed Reducing Tee Connector
RT-S-4B-3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
RT-S-4B-3B-WN	1/4 inch by 3/16 inch White Nylon Single Barbed Reducing Tee Connector



TR-R SERIES

TR-R Series are standard single barbed reducing and enlarging tee connectors. Materials available are Natural and Black Nylon, Natural and Gray PVDF, Natural and White Polypropylene, Glass-Filled Black Nylon, and Polyethylene that is NSF 51/61 certified.


SKU	Description
TR-R-532B6B-NN	5/32 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-532B6B-BN	5/32 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PVDF	5/32 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-532B6B-GPVDF	5/32 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-532B6B-NPP	5/32 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-532B6B-WPP	5/32 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-532B6B-GFBN	5/32 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-532B6B-PE-NSF	5/32 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector

SKU	Description
TR-R-4B10B-NN	1/4 inch by 5/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B10B-BN	1/4 inch by 5/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PVDF	1/4 inch by 5/8 inch PVDF Single Barbed Tee Connector
TR-R-4B10B-GPVDF	1/4 inch by 5/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B10B-NPP	1/4 inch by 5/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B10B-WPP	1/4 inch by 5/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B10B-GFBN	1/4 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B10B-PE-NSF	1/4 inch by 5/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Tee Connector
TR-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Tee Connector
TR-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Tee Connector
TR-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Tee Connector
TR-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Tee Connector
TR-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Tee Connector
TR-R-4B6B-PE-NSF	1/4 inch by 3/8 inch NSF Polyethylene Single Barbed Tee Connector
TR-R-4B3B-NN	1/4 inch by 3/16 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-BN	1/4 inch by 3/16 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PVDF	1/4 inch by 3/16 inch PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-GPVDF	1/4 inch by 3/16 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-4B3B-NPP	1/4 inch by 3/16 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-4B3B-WPP	1/4 inch by 3/16 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-4B3B-GFBN	1/4 inch by 3/16 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-4B3B-PE-NSF	1/4 inch by 3/16 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B4B-NN	1/2 inch by 1/4 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-BN	1/2 inch by 1/4 inch Black Nylon Single Barbed Reducing Tee Connector

SKU	Description
TR-R-8B4B-PVDF	1/2 inch by 1/4 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-GPVDF	1/2 inch by 1/4 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B4B-NPP	1/2 inch by 1/4 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-WPP	1/2 inch by 1/4 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B4B-GFBN	1/2 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B4B-PE-NSF	1/2 inch by 1/4 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-8B6B-NN	1/2 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-BN	1/2 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PVDF	1/2 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-GPVDF	1/2 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-8B6B-NPP	1/2 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B6B-WPP	1/2 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-8B6B-GFBN	1/2 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-8B6B-PE-NSF	1/2 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-10B6B-NN	5/8 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-BN	5/8 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PVDF	5/8 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-GPVDF	5/8 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-10B6B-NPP	5/8 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-WPP	5/8 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-10B6B-GFBN	5/8 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-10B6B-PE-NSF	5/8 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B6B-NN	3/4 inch by 3/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-BN	3/4 inch by 3/8 inch Black Nylon Single Barbed Reducing Tee Connector

SKU	Description
TR-R-12B6B-PVDF	3/4 inch by 3/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-GPVDF	3/4 inch by 3/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B6B-NPP	3/4 inch by 3/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B6B-WPP	3/4 inch by 3/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B6B-GFBN	3/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B6B-PE-NSF	3/4 inch by 3/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-12B8B-NN	3/4 inch by 1/2 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-BN	3/4 inch by 1/2 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PVDF	3/4 inch by 1/2 inch PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-GPVDF	3/4 inch by 1/2 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-12B8B-NPP	3/4 inch by 1/2 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-WPP	3/4 inch by 1/2 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-12B8B-GFBN	3/4 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-12B8B-PE-NSF	3/4 inch by 1/2 inch NSF Polyethylene Single Barbed Reducing Tee Connector
TR-R-16B10B-NN	1 inch by 5/8 inch Natural Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-BN	1 inch by 5/8 inch Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PVDF	1 inch by 5/8 inch PVDF Single Barbed Reducing Tee Connector
TR-R-16B10B-GPVDF	1 inch by 5/8 inch Gray PVDF Single Barbed Reducing Tee Connector
TR-R-16B10B-NPP	1 inch by 5/8 inch Natural Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-WPP	1 inch by 5/8 inch White Polypropylene Single Barbed Reducing Tee Connector
TR-R-16B10B-GFBN	1 inch by 5/8 inch Glass-Filled Black Nylon Single Barbed Reducing Tee Connector
TR-R-16B10B-PE-NSF	1 inch by 5/8 inch NSF Polyethylene Single Barbed Reducing Tee Connector

CX SERIES



The CX Series is a standard single barbed Cross fitting with no molded parting line on the barb. The barb will expand the tubing to 50% above its normal size. It is available in White Nylon and Natural Polypropylene. The available equal barb sizes are 1/16 inch, 3/32 inch, and 1/8 inch. This cross-fitting is recommended for medical and laboratory environments.

SKU	Description
CX-1B-NPP	1/16 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-1B-WN	1/16 inch White Nylon Standard Single Barbed Cross Connector
CX-332B-NPP	3/32 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-332B-WN	3/32 inch White Nylon Standard Single Barbed Cross Connector
CX-2B-NPP	1/8 inch Natural Polypropylene Standard Single Barbed Cross Connector
CX-2B-WN	1/8 inch White Nylon Standard Single Barbed Cross Connector

CNRX SERIES



The CNRX Series is an equal single barbed Cross fitting. These crosses are available in Natural Nylon, Natural Polypropylene, and White Polypropylene. Available barb sizes are 1/8 inch and 1/4 inch.

SKU	Description
CNRX-2B-NN	1/8 inch Natural Nylon Single Barbed Cross Connector
CNRX-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Cross Connector
CNRX-2B-WPP	1/8 inch White Polypropylene Single Barbed Cross Connector
CNRX-4B-NN	1/4 inch Natural Nylon Single Barbed Cross Connector
CNRX-4B-NPP	1/4 inch Natural Polypropylene Single Barbed Cross Connector
CNRX-4B-WPP	1/4 inch White Polypropylene Single Barbed Cross Connector



CRX-I SERIES

The CRX-I Series is a standard single barbed commercial grade Cross fitting with no parting line on the barb. It is available in Natural Nylon and Polypropylene. The equal barb size available is 1/4 inch.

SKU	Description
CRX-I-4B	1/4 Barb Commercial Grade Cross



Y-S SERIES

Y-S Series Wye tube fitting has equal single barbs and works well with flexible tubing. The barbs can expand tubing up to 50% above its normal size. This allows higher pressure capabilities. Available materials are White and Black Nylon, Natural Polypropylene, Polycarbonate, and PVDF. Barb sizes are 1/16 inch, 3/32 inch, 1/18 inch, 5/32 inch, 3/16 inch, and 1/4 inch. These Wyes are used primarily in laboratory and medical environments.

SKU	Description
Y-S-1B-WN	1/16 inch White Nylon Single Barbed Wye Connector
Y-S-1B-BN	1/16 inch Black Nylon Single Barbed Wye Connector
Y-S-1B-NPP	1/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-1B-PC	1/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-1B-PVDF	1/16 inch PVDF Single Barbed Wye Connector
Y-S-332B-WN	3/32 inch White Nylon Single Barbed Wye Connector
Y-S-332B-BN	3/32 inch Black Nylon Single Barbed Wye Connector
Y-S-332B-NPP	3/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-332B-PC	3/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-332B-PVDF	3/32 inch PVDF Single Barbed Wye Connector
Y-S-2B-WN	1/8 inch White Nylon Single Barbed Wye Connector

SKU	Description
Y-S-2B-BN	1/8 inch Black Nylon Single Barbed Wye Connector
Y-S-2B-NPP	1/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-2B-PC	1/8 inch Polycarbonate Single Barbed Wye Connector
Y-S-2B-PVDF	1/8 inch PVDF Single Barbed Wye Connector
Y-S-532-WN	5/32 inch White Nylon Single Barbed Wye Connector
Y-S-532-BN	5/32 inch Black Nylon Single Barbed Wye Connector
Y-S-532-NPP	5/32 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-532-PC	5/32 inch Polycarbonate Single Barbed Wye Connector
Y-S-532-PVDF	5/32 inch PVDF Single Barbed Wye Connector
Y-S-3B-WN	3/16 inch White Nylon Single Barbed Wye Connector
Y-S-3B-BN	3/16 inch Black Nylon Single Barbed Wye Connector
Y-S-3B-NPP	3/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-3B-PC	3/16 inch Polycarbonate Single Barbed Wye Connector
Y-S-3B-PVDF	3/16 inch PVDF Single Barbed Wye Connector
Y-S-4B-WN	1/4 inch White Nylon Single Barbed Wye Connector
Y-S-4-BN	1/4 inch Black Nylon Single Barbed Wye Connector
Y-S-4-NPP	1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-S-4B-PC	1/4 inch Polycarbonate Single Barbed Wye Connector
Y-S-4B-PVDF	1/4 inch PVDF Single Barbed Wye Connector



Y-R SERIES

Y-R Series are single barbed equal and enlarging Wye tube fittings. The equal Wye barb sizes are 1/8 inch, 3/16 inch, 1/4 inch, 3/8 inch, 1/2 inch, 5/8 inch, and 3/4 inch. The enlarging Wye barb are oriented with 2 smaller branches to a larger inlet on the bottom. Current sizes are (2)1/8 inch by 1/4 inch; (2)3/16 inch by 5/16 inch; (2)1/4 inch by 3/8 inch; 3/8 inch by 1/2 inch; 5/8 inch by 3/4 inch, and 3/4 inch by 1 inch. Available materials are Natural and Black Nylon, Glass-Filled Black Nylon, Natural and White High-Density Polyethylene, and Natural and Gray PVDF.

******The flow is from the bottom of the Wye and through the two smaller barbs.******

Various Branches Wyes are also available. VC-Y series.


SKU	Description
Y-R-2B-NN	1/8 inch Natural Nylon Equal Single Barbed Wye Connector

SKU	Description
Y-R-2B-BN	1/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-GFBN	1/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-2B-NPP	1/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-WPP	1/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-2B-PVDF	1/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-2B-GPVDF	1/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-2B-HDPE	1/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-3B-NN	3/16 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-3B-BN	3/16 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-GFBN	3/16 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-3B-NPP	3/16 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-WPP	3/16 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-3B-PVDF	3/16 inch PVDF Equal Single Barbed Wye Connector
Y-R-3B-GPVDF	3/16 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-3B-HDPE	3/16 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-4B-NN	1/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-4B-BN	1/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-GFBN	1/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-4B-NPP	1/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-WPP	1/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-4B-PVDF	1/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-4B-GPVDF	1/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-4B-HDPE	1/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-6B-NN	3/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-6B-BN	3/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-GFBN	3/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-6B-NPP	3/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-WPP	3/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-6B-PVDF	3/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-6B-GPVDF	3/8 inch Gray PVDF Equal Single Barbed Wye Connector

SKU	Description
Y-R-6B-HDPE	3/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-8B-NN	1/2 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-8B-BN	1/2 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-GFBN	1/2 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-8B-NPP	1/2 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-WPP	1/2 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-8B-PVDF	1/2 inch PVDF Equal Single Barbed Wye Connector
Y-R-8B-GPVDF	1/2 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-8B-HDPE	1/2 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-10B-NN	5/8 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-10B-BN	5/8 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-GFBN	5/8 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-10B-NPP	5/8 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-WPP	5/8 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-10B-PVDF	5/8 inch PVDF Equal Single Barbed Wye Connector
Y-R-10B-GPVDF	5/8 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-10B-HDPE	5/8 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-12B-NN	3/4 inch Natural Nylon Equal Single Barbed Wye Connector
Y-R-12B-BN	3/4 inch Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-GFBN	3/4 inch Glass-Filled Black Nylon Equal Single Barbed Wye Connector
Y-R-12B-NPP	3/4 inch Natural Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-WPP	3/4 inch White Polypropylene Equal Single Barbed Wye Connector
Y-R-12B-PVDF	3/4 inch PVDF Equal Single Barbed Wye Connector
Y-R-12B-GPVDF	3/4 inch Gray PVDF Equal Single Barbed Wye Connector
Y-R-12B-HDPE	3/4 inch High-Density Polyethylene Equal Single Barbed Wye Connector
Y-R-2B4B-NN	1/8 inch by 1/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-2B4B-BN	1/8 inch by 1/4 inch Black Nylon Single Barbed Wye Connector
Y-R-2B4B-GFBN	1/8 inch by 1/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-2B4B-NPP	1/8 inch by 1/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-2B4B-WPP	1/8 inch by 1/4 inch White Polypropylene Single Barbed Wye Connector

SKU	Description
Y-R-2B4B-PVDF	1/8 inch by 1/4 inch PVDF Single Barbed Wye Connector
Y-R-2B4B-GPVDF	1/8 inch by 1/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-2B4B-HDPE	1/8 inch by 1/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-3B5B-NN	3/16 inch by 5/16 inch Natural Nylon Single Barbed Wye Connector
Y-R-3B5B-BN	3/16 inch by 5/16 inch Black Nylon Single Barbed Wye Connector
Y-R-3B5B-GFBN	3/16 inch by 5/16 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-3B5B-NPP	3/16 inch by 5/16 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-3B5B-WPP	3/16 inch by 5/16 inch White Polypropylene Single Barbed Wye Connector
Y-R-3B5B-PVDF	3/16 inch by 5/16 inch PVDF Single Barbed Wye Connector
Y-R-3B5B-GPVDF	3/16 inch by 5/16 inch Gray PVDF Single Barbed Wye Connector
Y-R-3B5B-HDPE	3/16 inch by 5/16 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-4B6B-NN	1/4 inch by 3/8 inch Natural Nylon Single Barbed Wye Connector
Y-R-4B6B-BN	1/4 inch by 3/8 inch Black Nylon Single Barbed Wye Connector
Y-R-4B6B-GFBN	1/4 inch by 3/8 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-4B6B-NPP	1/4 inch by 3/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-4B6B-WPP	1/4 inch by 3/8 inch White Polypropylene Single Barbed Wye Connector
Y-R-4B6B-PVDF	1/4 inch by 3/8 inch PVDF Single Barbed Wye Connector
Y-R-4B6B-GPVDF	1/4 inch by 3/8 inch Gray PVDF Single Barbed Wye Connector
Y-R-4B6B-HDPE	1/4 inch by 3/8 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-6B8B-NN	3/8 inch by 1/2 inch Natural Nylon Single Barbed Wye Connector
Y-R-6B8B-BN	3/8 inch by 1/2 inch Black Nylon Single Barbed Wye Connector
Y-R-6B8B-GFBN	3/8 inch by 1/2 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-6B8B-NPP	3/8 inch by 1/2 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-6B8B-WPP	3/8 inch by 1/2 inch White Polypropylene Single Barbed Wye Connector
Y-R-6B8B-PVDF	3/8 inch by 1/2 inch PVDF Single Barbed Wye Connector
Y-R-6B8B-GPVDF	3/8 inch by 1/2 inch Gray PVDF Single Barbed Wye Connector
Y-R-6B8B-HDPE	3/8 inch by 1/2 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-10B12B-NN	5/8 inch by 3/4 inch Natural Nylon Single Barbed Wye Connector
Y-R-10B12B-BN	5/8 inch by 3/4 inch Black Nylon Single Barbed Wye Connector
Y-R-10B12B-GFBN	5/8 inch by 3/4 inch Glass-Filled Black Nylon Single Barbed Wye Connector

SKU	Description
Y-R-10B12B-NPP	5/8 inch by 3/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-10B12B-WPP	5/8 inch by 3/4 inch White Polypropylene Single Barbed Wye Connector
Y-R-10B12B-PVDF	5/8 inch by 3/4 inch PVDF Single Barbed Wye Connector
Y-R-10B12B-GPVDF	5/8 inch by 3/4 inch Gray PVDF Single Barbed Wye Connector
Y-R-10B12B-HDPE	5/8 inch by 3/4 inch High-Density Polyethylene Single Barbed Wye Connector
Y-R-12B16B-NN	3/4 inch by 1 inch Natural Nylon Single Barbed Wye Connector
Y-R-12B16B-BN	3/4 inch by 1 inch Black Nylon Single Barbed Wye Connector
Y-R-12B16B-GFBN	3/4 inch by 1 inch Glass-Filled Black Nylon Single Barbed Wye Connector
Y-R-12B16B-NPP	3/4 inch by 1 inch Natural Polypropylene Single Barbed Wye Connector
Y-R-12B16B-WPP	3/4 inch by 1 inch White Polypropylene Single Barbed Wye Connector
Y-R-12B16B-PVDF	3/4 inch by 1 inch PVDF Single Barbed Wye Connector
Y-R-12B16B-GPVDF	3/4 inch by 1 inch Gray PVDF Single Barbed Wye Connector
Y-R-12B16B-HDPE	3/4 inch by 1 inch High-Density Polyethylene Single Barbed Wye Connector



Y-U SERIES

Y-U Series is an ultimate Wye tube fitting. This series has equal single barbs and is designed to work with a wide range of tubing types and sizes. It is available in Nylon or Polypropylene. Barb sizes are 3/8 inch, 1/2 inch, 3/4 inch, and 1 inch. These Wyes are used in medical and laboratory environments.

SKU	Description
Y-U-6B-NN	3/8 inch Natural Nylon Single Barbed Wye Connector
Y-U-6B-NPP	3/8 inch Natural Polypropylene Single Barbed Wye Connector
Y-U-8B-NN	1/2 inch Natural Nylon Single Barbed Wye Connector
Y-U-8B-NPP	1/2 inch Natural Polypropylene Single Barbed Wye Connector
Y-U-12B-NN	3/4 inch Natural Nylon Single Barbed Wye Connector
Y-U-12B-NPP	3/4 inch Natural Polypropylene Single Barbed Wye Connector
Y-U-16B-NN	1 inch Natural Nylon Single Barbed Wye Connector
Y-U-16B-NPP	1 inch Natural Polypropylene Single Barbed Wye Connector



DTP-S SERIES

The DTP-S Series fittings are in four-port elbow tee configurations. Included in this series is the DTTP-S Series, which is a six-port double tee configuration. Both series have single barbs with no parting line, and the barbs will expand tubing 50% above its normal size. In addition, the materials available are White Nylon and Natural Polypropylene. Furthermore all the barbs on each fitting are equal to 1/16 inch, 3/32 inch, and 1/8 inch. These fittings are recommended for medical and laboratory environments.

SKU	Description
DTP-S-1B	1/16 Single Barb Double Tee
DTP-S-2B	1/8 Single Barb Double Tee
DTP-S-332	3/32 Single Barb Double Tee
DTTP-S-1B	1/16 Single Barb Quad Tee
DTTP-S-2B	1/8 Single Barb Quad Tee
DTTP-S-332B	3/32 Single Barb Quad Tee



T-I SERIES

The T-I Series is a standard equal barb Tee made of white Nylon and natural Polypropylene. It is available in 1/16”, 1/8” and 3/16” barbs.



USTA SERIES

USTA Series is a Male UNF straight thread Adapter with 5/32” barbs. This product is made out of Acetal.

SKU	DESCRIPTION
USTA-1220-POM	1/2-20 UNF Thread by 5/32 Barb Acetal
USTA-3824-POM	3/8-24 UNF Thread by 5/32 Barb Acetal
USTA-71624-POM	7/16-24 UNF Thread by 5/32 Barb Acetal
USTA-91618-POM	9/16-18 UNF Thread by 5/32 Barb Acetal



AT-S SERIES

AT-S Series is an Adapter Tee available in black and white Nylon, black Polypropylene, and PVDF. There is straight male 10-32 UNF threads, male 1/8” NPT threads, and tapered 10-32 UNF threads. The barb sizes are 1/16” 3/32”, 1/8”, 3/16”, and 1/4".

SKU	DESCRIPTION
AT-S-101B	10-32 Male UNF by 1/16 Barb Adapter Tee
AT-S-102B	10-32 Male UNF by 1/8 Barb Adapter Tee
AT-S-10T1B	10-32 Taper by 1/16 Adapter Tee
AT-S-10T2B	10-32 Taper by 1/8 Barb Adapter Tee
AT-S-10T332B	10-32 Taper by 3/32 Barb Adapter Tee
AT-S-102B	10-32 Male UNF by 1/8 inch Barb Adapter Tee
AT-S-2M3B	1/8 MNPT by 3/16 Barb Adapter Tee

VC-TB SERIES



VC-TB Series is a single-barb, triple-leg vacuum connector. It is made of natural Nylon and has 5 equal barbs of 3/16”.

SKU	DESCRIPTION
VC-TB-3B	3/16 Barb Triple Leg Vacuum Connector

GEN1-MLL



Engineered for precision and flexibility, the Gen1-MLL series delivers a streamlined male luer lock fitting designed to simplify your setup and save time. Each unit features a secure barbed end for reliable tubing connections and is available in a range of sizes and materials to suit your exact application.

Whether you're working in a medical, laboratory, or industrial environment, this standalone male luer offers exceptional compatibility and performance. Standard luer lock geometry ensures seamless integration into existing systems and equipment, while its leak-resistant design supports flexible or semi-rigid tubing—even in low-pressure systems.

For applications requiring a female counterpart, ***Gen1-FLL*** fittings are available separately and can be paired as needed to complete your connection.

- Precision male luer lock fitting
- Multiple sizes & materials available
- Ideal for fluid transfer, sampling, and low-pressure systems

SKU	Description	Material Options
Gen1-1B-MLL	1/16 Barbed Male Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene

SKU	Description	Material Options
Gen1-2B-MLL	1/8 Barbed Male Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene
Gen1-3B-MLL	3/16 Barbed Male Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene

GEN1-FLL



Built for precision and versatility, the Gen1-FLL series is a dedicated female luer lock fitting that simplifies fluid connection workflows. Each fitting includes a secure barbed end for reliable tubing engagement and comes in a wide selection of sizes and materials to meet the demands of your specific application.

Perfect for medical, lab, and industrial settings, the Gen1-FLL ensures tight, leak-resistant seals—even in low-pressure systems—and maintains full compatibility with standard male luer components. Its universal luer lock geometry integrates effortlessly into existing setups and equipment.

Need a male counterpart? ***Gen1-MLL*** fittings are sold separately and can be paired as needed for complete system connectivity.

 Standalone female luer lock fitting

 Available in multiple sizes & materials

 Optimized for fluid transfer, sampling & low-pressure systems

SKU	Description	Material Options
Gen1-1B-FLL	1/16 Barbed Female Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene
Gen1-2B-FLL	1/8 Barbed Female Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene

SKU	Description	Material Options
Gen1-3B-FLL	3/16 Barbed Female Luer Lock	Acetal Kynar ® Nylon Polycarbonate Polypropylene