



# MANIFOLDS

## MANIFOLDS

Explore Our Diverse Manifold Collection: Sizes and Materials Galore!



## DMAL SERIES - MANIFOLDS

DMAL Series has a rounded aluminum manifold that is ideal for air, water, and hydraulic fluid use. In addition, the temperature range of this manifold is -60° to 250°F. This manifold has an ideal maximum pressure of 300 psi.

---

| SKU       | DESCRIPTION  |
|-----------|--|
| DMAL-1214 | 1/2" Female Inlet x Three 1/4" Female Outlet Aluminum Manifold |
| DMAL-1414 | 1/4" Female Inlet x Three 1/4" Female Outlet Aluminum Manifold |
| DMAL-3814 | 3/8" Female Inlet x Three 1/4" Female Outlet Aluminum Manifold |

## HBM SERIES - MANIFOLDS



The HBM Series is a Brass flat hex Manifold that is perfect for confined spaces. There is a single mounting hole. All measurements are female NPT threads.

---

| SKU      | DESCRIPTION                                    |
|----------|--|
| HBM-1414 | 1/4" Inlet x Three 1/4" Outlets Brass Manifold |
| HBM-3814 | 3/8" Inlet x Three 1/4" Outlets Brass Manifold |
| HBM-3838 | 3/8" Inlet x Three 3/8" Outlets Brass Manifold |

## PMM SERIES - MANIFOLDS



The PMM Series is a Black Anodized Aluminum Manifold that has a 1/4" or 3/8" female inlet port and 2 to 10 outlet ports of female NPT threads.

| SKU        | DESCRIPTION   |
|------------|---|
| PMM-4-10-2 | 1/4" FNPT by Ten 1/8" FNPT Anodized Aluminum Manifold   |
| PMM-4-2-2  | 1/4" FNPT by Two 1/8" FNPT Anodized Aluminum Manifold   |
| PMM-4-4-2  | 1/4" FNPT by Four 1/8" FNPT Anodized Aluminum Manifold  |
| PMM-4-6-2  | 1/4" FNPT by Six 1/8" FNPT Anodized Aluminum Manifold   |
| PMM-4-8-2  | 1/4" FNPT by Eight 1/8" FNPT Anodized Aluminum Manifold |
| PMM-6-10-2 | 3/8" FNPT by Ten 1/8" FNPT Anodized Aluminum Manifold   |
| PMM-6-10-4 | 3/8" FNPT by Ten 1/4" FNPT Anodized Aluminum Manifold   |
| PMM-6-2-4  | 3/8" FNPT by Two 1/4" FNPT Anodized Aluminum Manifold   |
| PMM-6-4-2  | 3/8" FNPT by Four 1/8" FNPT Anodized Aluminum Manifold  |
| PMM-6-4-4  | 3/8" FNPT by Four 1/4" FNPT Anodized Aluminum Manifold  |
| PMM-6-6-2  | 3/8" FNPT by Six 1/8" FNPT Anodized Aluminum Manifold   |
| PMM-6-6-4  | 3/8" FNPT by Six 1/4" FNPT Anodized Aluminum Manifold   |
| PMM-6-8-2  | 3/8" FNPT by Eight 1/8" FNPT Anodized Aluminum Manifold |

## CMM SERIES



The CMM Series is a black Anodized Aluminum Manifold that has a 1/8" female inlet port and 3 outlet ports of either 1/8" female NPT threads or 10-32 female UNF threads. All ports are on one side of the manifold.

| SKU           | DESCRIPTION   |
|---------------|---|
| CMM-2F-3-1032 | 1/8" Inlet by Three 10-32 Outlet Ports Anodized Aluminum Manifold |
| CMM-2F-3-2F   | 1/8" Inlet by Three 1/8" Outlet Ports Anodized Aluminum Manifold  |
| CMM-2F-4-1032 | 1/8" Inlet by Four 10-32 Outlet Ports Anodized Aluminum Manifold  |
| CMM-2F-4-2F   | 1/8" Inlet by Four 1/8" Outlet Ports Anodized Aluminum Manifold   |
| CMM-2F-5-1032 | 1/8" Inlet by Five 10-32 Outlet Ports Anodized Aluminum Manifold  |

## MAN SERIES



This manifold comes in a variety of metals and plastics and is available in 2, 4, 6, 8, and 10 outlet ports. Equal inlet and outlet on the ends of the manifold with a Step-down size port for the side outlets.

| SKU         | DESCRIPTION  |
|-------------|--|
| MAN5-12-AL  | Aluminum 1/2" Inlet by Five 3/8" Outlet Manifold               |
| MAN6-38-P   | Polypropylene 1/2" Inlet by Six 3/8" Outlet Manifold           |
| MAN8-12-AL  | Aluminum 1/2" Inlet by Eight 3/8" Outlet Manifold              |
| MAN8-38-ACN | Natural Acetal 1/2" by Eight 3/8" Outlet Manifold              |
| MAN8-38-AL  | Aluminum 3/8" Inlet by Eight 1/2" Outlet Manifold              |
| MAN8-38-P   | Natural Polypropylene 1/2" Inlet by Eight 3/8" Outlet Manifold |

## PUM SERIES




The PUM Series is a straight line Manifold with equal or reducing push-to-connect ports. It is also available with male NPT threads on the in-port.

| SKU        | DESCRIPTION                           |
|------------|---------------------------------------|
| PUM-14     | 1/4 In/Out and 3 1/4 Ports Manifold   |
| PUM-14532  | 1/4 In/Out and 3 5/32 Ports Manifold  |
| PUM-18     | 1/8 In/Out and 3 1/8 Ports Manifold   |
| PUM-3814   | 3/8 In/Out and 3 1/4 Ports Manifold   |
| PUM-38516  | 3/8 In/Out and 3 5/16 Ports Manifold  |
| PUM-516    | 5/16 In/Out and 3 5/16 Ports Manifold |
| PUM-51614  | 5/16 In/Out and 3 1/4 Ports Manifold  |
| PUM-516316 | 5/16 In/Out and 3 3/16 Ports Manifold |
| PUM-516532 | 5/16 In/Out and 3 5/32 Ports Manifold |
| PUM-532    | 5/32 In/Out and 3 5/32 Ports Manifold |

| SKU           | DESCRIPTION                                    |
|---------------|--|
| PUM-532185    | 5/32 In/Out and 3 1/8 Ports Manifold           |
| PUM-2M532     | 1/8 MNPT In 5/32 Out and 3 5/32 Ports Manifold |
| PUM-2M532-316 | 1/8 MNPT In 5/32 Out and 3 3/16 Ports Manifold |
| PUM-4M316-516 | 1/4 MNPT In 5/16 Out and 3 5/16 Ports Manifold |
| PUM-4M516-38  | 1/4 MNPT In 5/16 Out and 3 3/8 Ports Manifold  |
| PUM-4M532-14  | 1/4 MNPT In 5/32 Out and 3 1/4 Ports Manifold  |
| PUM-4M532-316 | 1/4 MNPT in 5/32 Out and 3 3/16 PortsManifold  |
| PUM-4M532-516 | 3/8 MNPT In 1/4 Out and 3 5/16 Ports Manifold  |
| PUM-6M14-516  | 3/8 MNPT In 1/4 Out and 3 5/16 Ports Manifold  |
| PUM-8M516-38  | 1/2 MNPT In 5/16 Out and 3 3/8 Ports Manifold  |
| PUMR-14532    | 1/4 In/out with 3- 5/32 Ports Reducer Manifold |

## WAM SERIES



WAM Series is a ready-to-use Nylon Manifold with 4, 8, 16, 4 Center 4 Plug, or 8 Center 8 Plug ports. Also, the port sizes available are 1/4 inch, 3/8 inch, and 1/2 inch with supply sizes of 1 inch or 1-1/2 inch. Available in red or blue. For use with Brass, Nylon, or Steel fittings. Mount brackets and Plugs are available separately.

| SKU            | Description   |
|----------------|---|
| WAM-4-14-1-B   | 4 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold     |
| WAM-4-14-1-R   | 4 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold      |
| WAM-4-38-1-B   | 4 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold     |
| WAM-4-38-1-R   | 4 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold      |
| WAM-4-38-112-B | 4 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold |
| WAM-4-38-112-R | 4 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold  |
| WAM-4-12-112-B | 4 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold |
| WAM-4-12-112-R | 4 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold  |
| WAM-8-14-1-B   | 8 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold     |

| SKU             | Description   |
|-----------------|---|
| WAM-8-14-1-R    | 8 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold              |
| WAM-8-38-1-B    | 8 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold             |
| WAM-8-38-1-R    | 8 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold              |
| WAM-8-38-112-B  | 8 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold         |
| WAM-8-38-112-R  | 8 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold          |
| WAM-8-12-112-B  | 8 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold         |
| WAM-8-12-112-R  | 8 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold          |
| WAM-16-14-1-B   | 16 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold            |
| WAM-16-14-1-R   | 16 Ports, 1/4 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold             |
| WAM-16-38-1-B   | 16 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Blue Nylon Manifold            |
| WAM-16-38-1-R   | 16 Ports, 3/8 inch FNPT Port and 1 inch FNPT Supply In/Out Red Nylon Manifold             |
| WAM-16-38-112-B | 16 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold        |
| WAM-16-38-112-R | 16 Ports, 3/8 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold         |
| WAM-16-12-112-B | 16 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold        |
| WAM-16-12-112-R | 16 Ports, 1/2 inch FNPT Port and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold         |
| WAM-8C-14-1-B   | 8 Ports, 1/4 inch FNPT split center and 1 inch FNPT Supply In/Out Blue Nylon Manifold     |
| WAM-8C-14-1-R   | 8 Ports, 1/4 inch FNPT split center and 1 inch FNPT Supply In/Out Red Nylon Manifold      |
| WAM-8C-38-1-B   | 8 Ports, 3/8 inch split center and 1 inch FNPT Supply In/Out Blue Nylon Manifold          |
| WAM-8C-38-1-R   | 8 Ports, 3/8 inch split center and 1 inch FNPT Supply In/Out Red Nylon Manifold           |
| WAM-8C-38-112-B | 8 Ports, 3/8 inch split center and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold      |
| WAM-8C-38-112-R | 8 Ports, 3/8 inch split center and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold       |
| WAM-8C-12-112-B | 8 Ports, 1/2 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold |
| WAM-8C-12-112-R | 8 Ports, 1/2 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold  |
| WAM-16C-14-1-B  | 16 Ports, 1/4 inch FNPT split center and 1 inch FNPT Supply In/Out Blue Nylon Manifold    |

| <b>SKU</b>       | <b>Description</b>   |
|------------------|--|
| WAM-16C-14-1-R   | 16 Ports, 1/4 inch FNPT split center and 1 inch FNPT Supply In/Out Red Nylon Manifold      |
| WAM-16C-38-1-B   | 16 Ports, 3/8 inch FNPT split center and 1 inch FNPT Supply In/Out Blue Nylon Manifold     |
| WAM-16C-38-1-R   | 16 Ports, 3/8 inch FNPT split center and 1 inch FNPT Supply In/Out Red Nylon Manifold      |
| WAM-16C-38-112-B | 16 Ports, 3/8 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold |
| WAM-16C-38-112-R | 16 Ports, 3/8 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold  |
| WAM-16C-12-112-B | 16 Ports, 1/2 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Blue Nylon Manifold |
| WAM-16C-12-112-R | 16 Ports, 1/2 inch FNPT split center and 1-1/2 inch FNPT Supply In/Out Red Nylon Manifold  |